


3701 - 'Monarque' Exposed Thermostatic Tub & Shower Set



FLOWRATES
 TUB SPOUT:
 = APPROX. 5.2 GPM
 HANDSPRAY:
 = APPROX. 1.8 GPM
 SHOWERHEAD:
 = APPROX. 1.8 GPM

FLOW RATES LISTED ABOVE ARE BASED ON USE OF 3/4" SUPPLY LINES AND WILL VARY DEPENDING ON WATER PRESSURE.

Part#	Description
24	Thermostat Stop Plate
25	Screw
26	Swivel Bushing Fitting
27	Swivel Bushing
28	Square Tube
29	Compression Ring
30	Scold Stop Button Plates
31	Push Button Assembly
32	Set Screw
33	Set Screw
34	Scold Stop Stem
35	Scold Stop Body
36	Thermostat Control Stem
37	Wall Mount Plate Connector
38	Main Body Wall Mount Plate
39	Wall Mount Screws
40	Main Pipe Connector
41	3/4" - 1/2" Reducer
42	M3/4" - M1/2" Reducer
43	Washer
44	Washer
45	3/4" Counter Nut
46	Main Support Bar
47	Upper Body - Ecobross
48	Rubber O-Ring
49	Monarque Shower Arm
50	Finished Washer
51	Monarque Top Knob
52	1/2" Washer
53	Head Swivel Kit
54	8" Shower Head
55	Wall Mount Plate
56	Set Screw
57	Mounting Screw Kit
58	Escutcheon
59	Monarque Bar Support
60	Threaded Stem
61	1/2" Washer
63	Metal Ring For Hand Shower
64	Finished Hand Shower Handle
65	Metal Ring For Hand Shower
66	Hand Spray Elbow
67	5' Complete H/S Hose
68	Low Flow Restrictor
73	Ball Cup
74	Coil
75	Set Screw
76	Ball Joint
77	3/8" - 1/2" Connector
78	Connection For Escutcheon
80	Integral Stop
81	Integral Stop Cap
82	Brass Washer
90	Monarque Insert Assembly
91	Monarque Complete Hand Shower
92	Hand Spray Wall Mount Elbow
93	Monarque Handle Assembly

Technical Information

- 8" rose.
- Uses Flühs ceramic cartridges for volume control.
- Tub spout maximum flow rate is 5.2 GPM.
- Hand spray maximum flow rate is 1.8 GPM.
- 8" showerhead maximum flow rate is 1.8 GPM.
- Flow rates are based on use of 3/4" supply lines and will vary depending on water pressure.
- Integral shutoff valves.
- 3/4" connections.
- 19 GPM @ 60 PSI (4 bars).
- 5' hand shower hose.
- Available finishes are French Weathered Brass (47), Polished Chrome (48), SoliBrass (49), Polished Brass (55), Polished Nickel (56), Brushed Nickel (57), Satin Nickel (60), Antique Lacquered Copper (67), Antique Lacquered Brass (68), Weathered Brass (70) and Lacquered Polished Copper (80).
- Please See Cleaning Instructions: <http://herbeau.com/CleaningAll.pdf> For Maintenance Information.

Part#	Description
01	Monarque Tub Spout
02	Washer
03	Tub Spout Connector
04	Valve Body
05	3/4" Ceramic Cartridge
06	Monarque Cartridge
07	Dome
08	Handle Stem
09	Monarque Horizontal Handle Stem
10	Monarque Handle Center Handle Screw
11	Monarque Insert Holder
12	Rubber O-Ring
13	Ceramic Insert
14	Brass Thread Connector
15	Thermostatic Main Body Nut
16	Escutcheon Connector
17	3/4" Washer
18	Monarque Wall Escutcheon
19	Monarque Wall Escutcheon
20	1" X 1" Socket Adapter
21	3/4"-1/2" Male Adapter
22	3/4" Thermostatic Cartridge With Finished Cover Plate
23	Finished Dial Plate


Please follow example when ordering parts for 'Monarque' Exposed
Thermostatic Tub & Shower Set

- To order part #01 – Monarque Tub Spout
 - 990095**xx**
- Please substitute finish number needed in place of **xx**



Herbeau®
L'Art du Sanitaire depuis 1857

3701 - 'Monarque' Exposed Thermostatic Tub & Shower Set



FLOWRATES

- TUB SPOUT:
= APPROX. 5.2 GPM
- HANDSPRAY:
= APPROX. 1.8 GPM
- SHOWERHEAD:
= APPROX. 1.8 GPM

FLOW RATES LISTED ABOVE ARE BASED ON USE OF 3/4" SUPPLY LINES AND WILL VARY DEPENDING ON WATER PRESSURE.

3701 - 'Monarque' Exposed Thermostatic Tub & Shower Set

